

SSN Control in Digital Integrated Circuits

Introduction

SSN, or Simultaneous Switching Noise, poses a growing challenge in the design of modern digital integrated circuits (ICs). As ICs continue to shrink in size and operate at higher speeds, the number of transistors switching simultaneously increases, leading to larger SSN amplitudes. This noise can cause performance degradation, reliability issues, and increased power consumption.

SSN is generated when a large number of transistors switch simultaneously, causing a sudden change in current. This change in current creates a voltage spike on the power supply lines, which can propagate through the circuit and interfere with the operation of

other transistors. SSN can also cause ground bounce, which is a fluctuation in the ground potential of a circuit. Ground bounce can lead to incorrect logic operation and can also cause damage to ICs.

The impact of SSN on circuit performance depends on several factors, including the number of transistors switching simultaneously, the switching speed, the power supply voltage, and the layout of the circuit. SSN can cause several problems, including:

- Increased power consumption
- Reduced circuit speed
- Increased noise sensitivity
- Increased susceptibility to errors
- Device damage

SSN is a complex phenomenon that can be difficult to control. However, several techniques can be used to reduce SSN, including:

- Using low-noise circuit design techniques

- Using power supply decoupling capacitors
- Using SSN filters
- Using SSN shields

SSN is a major concern in the design of modern digital ICs. By understanding the sources of SSN and the techniques for controlling it, designers can create circuits that are less susceptible to SSN and that perform reliably at high speeds.

Book Description

SSN, or Simultaneous Switching Noise, is a major concern in the design of modern digital integrated circuits (ICs). As ICs continue to shrink in size and operate at higher speeds, the number of transistors switching simultaneously increases, leading to larger SSN amplitudes. This noise can cause performance degradation, reliability issues, and increased power consumption.

This book provides a comprehensive overview of SSN in digital integrated circuits. It covers the fundamental concepts of SSN, the sources of SSN, and the impact of SSN on circuit performance. The book also discusses various techniques for controlling SSN, including low-noise circuit design techniques, power supply decoupling capacitors, SSN filters, and SSN shields.

The book is written for circuit designers, system designers, and researchers working on the design of

high-speed digital ICs. It is also a valuable resource for students studying digital circuit design.

Key Features:

- Provides a comprehensive overview of SSN in digital integrated circuits
- Covers the fundamental concepts of SSN, the sources of SSN, and the impact of SSN on circuit performance
- Discusses various techniques for controlling SSN
- Written for circuit designers, system designers, and researchers working on the design of high-speed digital ICs
- Also a valuable resource for students studying digital circuit design

Read this book to gain a deep understanding of SSN and the techniques for controlling it. By doing so, you can design high-speed digital ICs that are less susceptible to SSN and that perform reliably at high speeds.

Chapter 1: SSN Fundamentals

Introduction to SSN

SSN, or Simultaneous Switching Noise, is a major concern in the design of modern digital integrated circuits (ICs). As ICs continue to shrink in size and operate at higher speeds, the number of transistors switching simultaneously increases, leading to larger SSN amplitudes. This noise can cause performance degradation, reliability issues, and increased power consumption.

SSN is generated when a large number of transistors switch simultaneously, causing a sudden change in current. This change in current creates a voltage spike on the power supply lines, which can propagate through the circuit and interfere with the operation of other transistors. SSN can also cause ground bounce, which is a fluctuation in the ground potential of a

circuit. Ground bounce can lead to incorrect logic operation and can also cause damage to ICs.

The impact of SSN on circuit performance depends on several factors, including the number of transistors switching simultaneously, the switching speed, the power supply voltage, and the layout of the circuit. SSN can cause several problems, including:

- Increased power consumption
- Reduced circuit speed
- Increased noise sensitivity
- Increased susceptibility to errors
- Device damage

SSN is a complex phenomenon that can be difficult to control. However, several techniques can be used to reduce SSN, including:

- Using low-noise circuit design techniques
- Using power supply decoupling capacitors
- Using SSN filters

- Using SSN shields

SSN is a major concern in the design of modern digital ICs. By understanding the sources of SSN and the techniques for controlling it, designers can create circuits that are less susceptible to SSN and that perform reliably at high speeds.

Chapter 1: SSN Fundamentals

Sources of SSN

SSN can be generated by several sources, including:

- **Simultaneous switching of transistors:** When a large number of transistors switch simultaneously, it can cause a sudden change in current, which can generate SSN.
- **Crosstalk:** When two or more conductors are placed close together, the switching of one conductor can induce a current in the other conductor, which can generate SSN.
- **Ground bounce:** When a large number of transistors switch simultaneously, it can cause a sudden change in the ground potential of the circuit, which can generate SSN.
- **Power supply noise:** SSN can also be generated by noise on the power supply lines. This noise

can be caused by other circuits on the same chip or by external sources.

- **Electromagnetic interference (EMI):** SSN can also be generated by EMI from other electronic devices. EMI can cause unwanted currents to flow in the circuit, which can generate SSN.

The amount of SSN generated depends on several factors, including:

- The number of transistors switching simultaneously
- The switching speed of the transistors
- The layout of the circuit
- The power supply voltage
- The presence of decoupling capacitors

SSN can have several negative effects on the performance of digital integrated circuits, including:

- Increased power consumption
- Reduced circuit speed

- Increased noise sensitivity
- Increased susceptibility to errors
- Device damage

It is important to understand the sources of SSN and the techniques for controlling it in order to design digital integrated circuits that are less susceptible to SSN and that perform reliably at high speeds.

Chapter 1: SSN Fundamentals

SSN Modeling

SSN modeling is a critical step in the design of SSN control techniques. SSN models can be used to predict the amplitude and frequency of SSN, as well as its impact on circuit performance. There are several different types of SSN models, each with its advantages and disadvantages.

The simplest type of SSN model is the lumped model. Lumped models represent the SSN source as a single current source or voltage source. This type of model is easy to use, but it can be inaccurate for predicting the SSN amplitude and frequency.

A more accurate type of SSN model is the distributed model. Distributed models represent the SSN source as a series of current sources or voltage sources. This type of model can be used to predict the SSN amplitude and

frequency more accurately, but it is more complex to use.

Another type of SSN model is the hybrid model. Hybrid models combine the features of lumped and distributed models. Hybrid models are often used to predict the SSN amplitude and frequency in complex circuits.

SSN models can be used to design SSN control techniques. By simulating the circuit with an SSN model, designers can determine the effectiveness of different SSN control techniques. SSN models can also be used to optimize the layout of a circuit to reduce SSN.

SSN modeling is a powerful tool for designing SSN control techniques. By using SSN models, designers can predict the amplitude and frequency of SSN, as well as its impact on circuit performance. This information can be used to design SSN control techniques that are effective and efficient.

This extract presents the opening three sections of the first chapter.

Discover the complete 10 chapters and 50 sections by purchasing the book, now available in various formats.

Table of Contents

Chapter 1: SSN Fundamentals * Introduction to SSN * Sources of SSN * SSN Modeling * SSN Measurement * SSN Impact on Circuit Performance

Chapter 2: SSN Control Techniques * SSN Reduction Techniques * SSN Isolation Techniques * SSN Shielding Techniques * SSN Filtering Techniques * SSN Compensation Techniques

Chapter 3: SSN in Digital Integrated Circuits * SSN in CMOS Circuits * SSN in BiCMOS Circuits * SSN in Mixed-Signal Circuits * SSN in RF Circuits * SSN in High-Speed Circuits

Chapter 4: SSN in System Design * SSN Impact on System Performance * SSN Control in System Design * SSN Modeling for System Design * SSN Measurement for System Design * SSN Simulation for System Design

Chapter 5: SSN in Package Design * SSN Impact on Package Performance * SSN Control in Package Design

* SSN Modeling for Package Design * SSN Measurement for Package Design * SSN Simulation for Package Design

Chapter 6: SSN in PCB Design * SSN Impact on PCB Performance * SSN Control in PCB Design * SSN Modeling for PCB Design * SSN Measurement for PCB Design * SSN Simulation for PCB Design

Chapter 7: SSN in High-Speed Interconnects * SSN Impact on High-Speed Interconnect Performance * SSN Control in High-Speed Interconnects * SSN Modeling for High-Speed Interconnects * SSN Measurement for High-Speed Interconnects * SSN Simulation for High-Speed Interconnects

Chapter 8: SSN in Wireless Communication Systems * SSN Impact on Wireless Communication System Performance * SSN Control in Wireless Communication Systems * SSN Modeling for Wireless Communication Systems * SSN Measurement for Wireless

Communication Systems * SSN Simulation for Wireless
Communication Systems

Chapter 9: SSN in Automotive Electronics * SSN
Impact on Automotive Electronics Performance * SSN
Control in Automotive Electronics * SSN Modeling for
Automotive Electronics * SSN Measurement for
Automotive Electronics * SSN Simulation for
Automotive Electronics

Chapter 10: SSN in Aerospace Electronics * SSN
Impact on Aerospace Electronics Performance * SSN
Control in Aerospace Electronics * SSN Modeling for
Aerospace Electronics * SSN Measurement for
Aerospace Electronics * SSN Simulation for Aerospace
Electronics

This extract presents the opening three sections of the first chapter.

Discover the complete 10 chapters and 50 sections by purchasing the book, now available in various formats.